

NOMES VULGARES INGLÊSES DE INSETOS

Zilkar C. Maranhão

Docente-Livre de Entomologia Agrícola

(Continuação)

- Ichneumon flies (Microhimenópteros da superfam. Ichneumonoidea) — Hymenoptera.
- Ichneumonid wasps (Microhimenópteros parasitos) — Hym., Ichneumonidae.
- Ichneumonid parasites (o mesmo que Ichneumon wasps).
- Imbauba ants (Formigas do gên. Azteca) — Hym., Formicidae, Dolichoderinae.
- Imbricated snout beetle (*Epicaerus imbricatus* (Say) — Col., Curculionidae.
- Imperial moth (*Eacles imperiales*) — Lep., Syssphingidae.
- Imported cabbageworm (*Ascia (Pieris) rapae* L.) — Lep., Pieridae.
- Imported currant borer (*Synanthedon tipuliformis* Lin.) — Lep., Aegeriidae.
- Imported currant sawfly (*Pteronidea ribesii* (Scopoli) — Hym., Tenthredinidae.
- Imported currant worm (o mesmo que Imported currant sawfly).
- Imported grape rootworm (*Adoxus vitis* Fourcroy) — Col., Chrysomelidae.
- Imported onion maggot (*Pegomyia ceparum* Bouché) — Dip., Anthomyiidae.
- Imported sawfly (o mesmo que Imported currant sawfly).
- Indian bedbug (*Cimex hemipterus* Fabr. (*C. rotundatus* Sign.) — Hem., Cimicidae.
- Indian meal moth (*Plodia interpunctella* (Hub.) — Lep., Pyralidae.
- Indian skipper (*Erynnis sassacus*) — Lep., Hesperidae.

- Indian wax scale (*Ceroplastes ceriferus*) — Hom., Margarodidae.
- Io-moth (*Automeris io*) — Lep., Saturniidae.
- Iris borer (*Macronoctua onusta*) — Lep., Noctuidae.
- Isabella tiger moth (*Isia isabella*) — Lep., Arctiidae.
- Italian pear scale (*Diaspis piricola* Del G.) — Hom., Diaspididae.
- Ivy scale (*Aspidiotus hederæ* (Vallot) — Hom., Diaspididae.
- x x x
- Jack-pine sawfly (*Neodiprion banksianæ*) — Hym., Tenthredinidae.
- Japanese beetle (*Popilia japonica*) — Col., Scarabaeidae.
- Japanese maelybug (*Pseudococcus krauhniae* (Kuw.) — Hom., Pseudococcidae.
- Japanese orange fruit fly (*Dacus tsuneomis* Miyake) — Dip., Trypetidae.
- Japanese wax scale (o mesmo que Indian wax scale).
- Jerusalem cricket (*Stenopelmatus longispina*) — Orth., Tetti-
goniidae.
- Jesus bugs (Hemipteros aquáticos da superfam. Gerroidea) — Hemiptera.
- Jigger (o mesmo que Chigoe flea).
- Jigger flea (o mesmo que Jigger).
- Joint-worm flies (Microhimenópteros do gên. Harmolita) — Hym., Eurytomidae.
- Julia butterfly (*Colaenis julia*) — Lep., Nymphalidae.
- Jumping plant-lice (Homópteros da fam. Psyllidae) — Homoptera.
- Jug-builders (Himenópteros do gên. Eumenes) — Hym., Vespididae.
- Juice-suckers (Insetos sugadores de seiva) — Hemiptera, Homoptera e Thysanoptera.
- Juniper webworm (*Phalonia rutilana*) — Lep., Phalonidae.
- June beetles (Coleópteros do gên. Phyllophaga) — Col., Scarabaeidae.
- June bugs (o mesmo que June beetles).
- Juvenal's dusky wing (*Thanaos juvenalis*) — Lep., Hesperidae.

- Kangaroo louse (*Heterodoxus longitarsus*) — Mall., Boopidae.
- Katydids (Ortópteros da fam. Tettigoniidae) — Orthoptera.
- Ked (*Melophagus ovinus* L.) — Dip., Hippoboscidae.
- Kelp-flies (Dípteros do gên. *Fucellia*) — Dip., Anthomyiidae.
- King ants (Os machos das formigas) — Hym., Formicidae.
- King termites (Os machos dos cupins ou térmitas) — Isoptera.
- Kissing bug (*Reduvius personatus*) — Hem., Reduviidae.
- Kissing bugs (Hemípteros da fam. Reduviidae) — Hemiptera.
- Koochabbie fly (Díptero do gên. *Ephydra* cujas larvas vivem nas águas do Grande Lago Salgado) — Dip., Ephydriidae.
- Koo-tsabe fly (*Ephydra hians*) — Dip., Ephydriidae.
- x x x
- Lac insects (*Laccifer* (*Tachardia*) *lacca* Kerr) — Hom., Lacciferidae.
- Lace bugs (Hemípteros da fam. Tingitidae) — Hemiptera.
- Lacewing flies (Neurópteros da fam. Chrysopidae) — Neuroptera.
- Lacewings (Neurópteros das fams. Chrysopidae e Hemerobiidae) — Neuroptera.
- Lackey moth (*Malacosoma neustria*) — Lep., Lasiocampidae.
- Ladybeetles (Coleópteros da fam. Coccinellidae) — Coleoptera
- Ladybirds (o mesmo que Ladybeetles).
- Ladybird beetles (o mesmo que Ladybirds).
- Ladybugs (o mesmo que Ladybird beetles).
- Lamellicorn beetles (Coleópteros da fam. Scarabaeidae) — Coleoptera.
- Lantern flies (Homópteros da fam. Fulgoridae) — Homoptera.
- Lappet caterpillars (Lepidópteros da fam. Lasiocampidae) — Lepidoptera.
- Lappet moths (o mesmo que Lappet caterpillars).
- Larch lappet (*Tolyte laricis*) — Lep., Lasiocampidae.
- Larch sawfly (*Nematus erichsonii*) — Hym., Tenthredinidae.
- Larder beetle (*Dermestes lardarius* L.) — Col., Dermestidae.
- Large black ant (o mesmo que Black carpenter ant).
- Large body louse (*Menopon biseriatum* Piaget) — Mall., Menoponidae.
- Large carpenter bees (Himenópteros da fam. Xylocopidae) — Hymenoptera.

- Large chicken louse (*Goniocotes abdominalis* Piaget) — Mall.,
Philopteridae.
- Large hen louse (o mesmo que Large chicken louse).
- Large metal-mark (*Calephelis borealis*) — Lep., Erycinidae.
- Large orange sulphur (*Phoebis (Catopsilia) agarithe*) — Lep.,
Pieridae.
- Large Turkey louse (*Goniodes stylifer* Nitzsch) — Mall, Philop-
teridae.
- Large warble fly (*Hypoderma bovis* De Geer) — Dip., Oestridae.
- Larger apple curculio (*Trachypterellus quadrigibbus magnus*
List) — Col., Curculionidae.
- Larger cornstalk borer (*Diatraea crambidoides* Grote) — Lep.,
Pyralididae.
- Larger grain borer (*Dinoderus truncatus* Horn) — Col., Bos-
trychidae.
- Larger horned citrus bug (*Biprorulus bibax* Bred) — Hem.,
Pentatomidae.
- Larger sugarbeet leaf beetle (*Monoxia puncticollis* Say) —
Col., Chrysomelidae.
- Latania scale (*Aspidiotus lataniae* Sign.) — Hom., Diaspididae.
- Latrine fly (*Fannia scalaris* Fabricius) — Dip., Anthomyiidae.
- Leaf beetles (*Coleópteros da fam. Chrysomelidae*) — Coleop-
tera.
- Leaf blotch miners (*Lepidópteros da fam. Gracilariidae*) —
Lepidoptera.
- Leaf bugs (*Hemípteros da fam. Miridae*) — Hemiptera.
- Leaf butterfly (o mesmo que Dead-leaf butterfly).
- Leaf chafers (*Besouros alimentando-se de folhas, flores, pólen*
e frutos) — Col., Scarabaeidae.
- Leaf crumpler (*Mineola indiginella* (Zeller) — Lep., Pyralidi-
dae.
- Leaf cutter bees (*Himenópteros da fam. Megachilidae*) — Hy-
menoptera.
- Leaf cutting ants (*Formigas do gên. Atta*) — Hym., Formici-
dae, Myrmicinae.
- Leaf eating beetles (*Coleópteros filófagos*) — Col., Chrysomeli-
dae e Scarabaeidae.
- Leaf folders (*Lagartas dobrando o bordo de fôlhas*) — Lep.,

- Tortricidae, Gelechiidae, Pyralidae e Oecophoridae.
- Leaf-footed bug (*Leptoglossus phillopus* L.) — Hem., Coreidae.
- Leaf-footed plant bugs (Hemipteros do gên. *Leptoglossus*) — Hem., Coreidae.
- Leaf hoppers (Homópteros da fam. Jassidae) — Homoptera.
- Leaf horned beetles (Coleópteros do grupo Lamellicornia) — Coleoptera.
- Leaf insects (Insetos da fam. Phasmidae) — Phasmida.
- Leaf-like insects (o mesmo que Leaf insects).
- Leaf miners (Larvas de dípteros minadoras de fôlhas) — Dip., Agromyzidae.
- Leaf roller moths (Lepidópteros da fam. Tortricidae) — Lepidoptera.
- Leaf-rolling grasshopper (o mesmo que Carolina grasshopper).
- Leaf tyers (Lagartas dobrando ou reunindo diversas fôlhas) — Lep., Exartema, Agonopteryx, Melalopha, Argyrotaenia, Epargyreus, etc..
- Leaf-tying ants (Algumas espécies de formigas dos gên. *Camponotus*, *Oecophylla* e *Polyrrhachis*) — Hym., Formicidae.
- Leaf webbers (Lagartas tecedoras de fôlhas) — Lep., Tortricidae, Geometridae, Notodontidae, Arctiidae, Oecophoridae, Gelechiidae, Pyralidae e Yponomeutidae.
- Least purple hair-streak (*Calycops cecrops*) — Lep., Lycaenidae.
- Least skipper (*Ancyloxipha nemitor*) — Lep., Lycaenidae.
- Leather beetles (Coleópteros da fam. Dermestidae) — Coleoptera.
- Leather jackets (Larvas de dípteros da fam. Tipulidae) — Diptera.
- Legionary ants (Formigas dos gên. *Anormma*, *Eciton* e *Dorylus*) — Hym., Formicidae.
- Legume-pod moth (*Etiella zinckenella* Treit) — Lep., Pyralidae.
- Leonard's skipper (*Anthomaster leonardus*) — Lep., Hesperidae.
- Leopard moth (*Zeuzera pyrina* (L.)) — Lep., Cossidae.
- Lesser apple leaf folder (*Peronea minuta* Robinson) — Lep., Tortricidae.

- Lesser apple worm (*Laspeyresia prunivora* Walsh) — Lep., Tortricidae.
- Lesser budmoth (*Recurvaria nanella* Hub.) — Lep., Gelechiidae.
- Lesser bulb fly (*Eumerus strigatus* Fallen) — Dip., Syrphidae.
- Lesser clover leaf weevil (o mesmo que Clover bud weevil).
- Lesser cornstalk borer (*Elasmopalpus lignosellus* (Zeller) — Lep., Pyralidae.
- Lesser grain borer (*Rhyzopertha dominica* Fabric.) — Col., Bostrychidae.
- Lesser houseflies (*Fannia canicularis*) — Dip., Anthomyiidae.
- Lesser migratory grasshopper (*Melanoplus mexicanus spretus* (Walsh) — Orth., Acrididae.
- Lesser oak carpenter (*Prionoxystus macmurtrei* Guer.) — Lep., Cossidae.
- Lesser peach borer (*Synanthedon pictipes* (Grote & Robinson) — Lep., Aegeriidae.
- Lesser peach tree borer (o mesmo que Lesser peach borer).
- Lesser snow scale (*Pinnaspis minor* Mask.) — Hom., Diaspididae.
- Libbekh mealybug (*Pseudococcus perniciosus* Newst.) — Hom., Pseudococcidae.
- Light apple redbug (*Lygidea mendax* Reuter) — Hem., Lygaeidae.
- Lightning beetles (Coleópteros da fam. Telephoridae) — Coleoptera.
- Lilac borer (*Podosesia syringae* Harris) — Lep., Aegeriidae.
- Lilac leaf miner (*Gracilaria syringella*) — Lep., Gracilariidae.
- Lima bean borer (o mesmo que Legume-pod moth).
- Lima bean vine borer (*Monoptilota pergratialis* (nubillella) — Lep..
- Lime-tree winter-moth (*Erannis tiliana*) — Lep., Geometridae.
- Lindorus ladybird beetle (*Lindorus lophanthae* (Blaisd.) — Col., Coccinellidae.
- Lip botfly (*Gastrophilus haemorrhoidalis* L.) — Dip., Oestridae.
- Lip fly (o mesmo que Lip botfly).

- Little black ant (*Monomorium minimum* (Buckley) — Hym., Formicidae.
- Little glass-wing (*Euphyes verna*) — Lep., Hesperidae.
- Little housefly (o mesmo que Latrine fly).
- Little red louse (o mesmo que Cattle chewing louse).
- Little sulphur (*Eurema euterpe*) — Lep., Pieridae.
- Little wood-satyr (*Cissia eurytus*) — Lep., Satyridae.
- Locust borer (*Cyllene robiniae* Forster) — Col., Cerambycidae.
- Locust leaf miner (*Chalepus dorsalis* Thunberg) — Col., Chrysomelidae.
- Locusts (o mesmo que Grasshoppers).
- Long-beaks (Lepidópteros da subfam. Libytheinae) — Lep., Nymphalidae.
- Long dash (*Thymelicus mystic*) — Lep., Hesperidae.
- Long-horned beetles (Coleópteros da fam. Cerambycidae) — Coleoptera.
- Long-horned borers (Larvas de Long-horned beetles).
- Long-horned bugs (Hemípteros da subordem Gymnocerata) — Hemiptera.
- Long-horned flies (Dípteros da subordem Orthorrhapha-Série Nemocera) — Diptera.
- Long-horned grasshoppers (Ortópteros da fam. Tettigoniidae) — Orthoptera.
- Long-horned leaf beetles (Coleópteros do gên. Donacia) — Col., Chrysomelidae.
- Long-horned wood borers (o mesmo que Long-horned borers).
- Long-legged flies (Dípteros da fam. Dolichopodidae) — Diptera.
- Long-nosed cattle louse (*Linognathus vituli* (L.) — Anopl., Haematopinidae.
- Long-nosed ox-louse (o mesmo que Long-nosed cattle louse).
- Long scale (o mesmo que Glover's scale).
- Long scale (*Coccus elongatus* (Sign.) — Hom., Coccidae.
- Long-sting (*Megarrhyssa lunator* (Fabr.) — Hym., Ichneumonidae.
- Long-tailed mealybug (Homópteros do gên. Pseudococcus) — Hom., Pseudococcidae.
- Long-tailed skipper (*Eudamus proteus*) — Lep., Hesperidae.

- Long-tongued bees (o mesmo que Leaf-cutter bees).
Long-winged chinch bug (*Blissus hirtus* Montandon) — Hem.,
Lygaeidae.
Louse-flies (Dípteros da fam. Hippoboscidae) — Diptera.
Louse fly (o mesmo que Ked).
Lubber grasshoppers (Ortópteros do gên. *Melanoplus*) — Orth.,
Acridiidae.
Lucilius's dusky wing (*Thanaos lucilius*) — Lep., Hesperidae.
Lucky bugs (Coleópteros aquáticos da fam. Gyridae) — Co-
leoptera.
Luna moth (*Tropaea luna*) — Lep., Syssphingidae.
Lygus bugs (Hemípteros do gên. *Lygus*) — Hem., Miridae.
- x x x
- Maggot (Larvas dos insetos da ordem Diptera).
Maia moth (*Hemileuca maia*) — Lep., Saturniidae.
Maize billbug (*Calendra maidis* (Chittenden) — Col., Calen-
dridae.
Malarial mosquitoes (Dípteros do gên. *Anopheles*) — Dip.,
Culicidae.
Mammal nest beetles (Coleópteros da fam. Leptinidae) — Co-
leoptera.
Mandibulate moths (Lepidópteros da fam. Micropterygidae) —
Lepidoptera.
Mantes (Insetos da ordem Mantodea).
Mantis-like Neuroptera (Neurópteros da fam. Mantispidae) —
Neuroptera.
Many-plume moths (Lepidópteros da fam. Orneodidae) — Le-
pidoptera.
Maple casebearer (*Paraclemensia acerifoliella*) — Lep., Incur-
variidae.
Maple-leaf aphid (o mesmo que Alder-blight).
Maple-leaf cutter (o mesmo que Maple casebearer).
Maple oak twig pruner (*Ellaphidion villosum* Fabr.).
Marbled-whites (Lepidópteros da fam. Satyridae) — Lepidop-
tera.
March-flies (Dípteros da fam. Bibionidae) — Diptera.
March-treaders (Hemípteros aquáticos da fam. Hydrometri-
dae) — Hemiptera.

- Margined blister beetle (*Epicauta marginata* Fabricius) — Col., Meloidae.
- Marguerite fly (*Phytomyza chrysanthemi* Kowarz) — Dip., Agromyzidae.
- Marlatt white fly (*Aleurolobus marlatti* (Quaint.) — Hom., Aleyrodidae.
- Masked bedbug hunter (*Reduvius personatus*) — Hem., Reduviidae.
- Mason bees (o mesmo que Leaf-cutter bees).
- Martial's dusky wing (*Thanaos martialis*) — Lep., Hesperidae.
- May beetles (o mesmo que June beetles).
- May flies (o mesmo que Like-flies).
- Meadow browns (Lepidópteros da fam. Satyridae) — Lepidoptera.
- Meadow caterpillar (*Ctenucha virginica* Char.) — Lep.
- Meadow maggots (o mesmo que Leather jackets).
- Meadow plant bug (*Misis dolobrata* (L.) — Hem., Miridae.
- Meal snout moth (*Pyralis farinalis* (L.) — Lep., Pyralidae.
- Meal worms (Larvas de coleópteros da fam. Tenebrionidae) — Coleoptera.
- Mealybugs (Homópteros dos gêns. *Pseudococcus* e *Phenacoccus*) — Homoptera.
- Mealy plum aphid (*Hyalopterus arundinis* (Fabr.) — Hom., Aphididae.
- Mealy wing (*Conwentzia hageni* Banks) — Neuropt., Coniopterygidae.
- Mealy-winged Neuroptera (Neurópteros da fam. Coniopterygidae) — Neuroptera.
- Measuring worms (Lagartas da fam. Geometridae) — Lepidoptera.
- Medfly (o mesmo que Mediterranean fruit fly).
- Mediterranean fig scale (*Lepidosaphes ficus* Sign.) — Hom., Diaspididae.
- Mediterranean flour moth (*Ephestia kuehniella* Zeller) — Lep., Pyralidae.
- Mediterranean fruit fly (*Ceratitis capitata* (Wiedeman) — Dip., Trypetidae.
- Melon aphid (*Aphis gossypii* Glover) — Hom., Aphididae.

- Melon stem borer (*Diaphania nitidalis* (Cramer) — Lep., Pyraustidae.
- Melon worm (*Diaphania hyalinata* (L.) — Lep., Pyraustidae.
- Melsheimer's sac bearer (*Cicinnus* (*Perophora*) *melsheimeri*) — Lep., Mimallonidae.
- Metal marks (Lepidópteros da fam. Erycinidae) — Lepidoptera.
- Metalic wood borers (Coleópteros da fam. Buprestidae) — Coleoptera.
- Mexican bean beetle (*Epilachna varivestis* Mulsant) — Col., Coccinellidae.
- Mexican bedbug (o mesmo que Big bedbug).
- Mexican chicken bug (*Haematosiphum inodorus* (Duges) — Hem., Cimicidae.
- Mexican fruit fly (*Anastrepha ludens* (Loew) — Dip., Trypetidae.
- Mexican jumping bean moth (*Carpocapsa saltitans*) — Lep., Olethreutidae.
- Mexican mealybug (*Phenacoccus gossypii* Tows.) — Hom., Pseudococcidae.
- Midges (Dípteros da fam. Chironomidae) — Diptera.
- Migratory locusts (Ortópteros do gên. *Schistocerca*) — Orth., Acrididae.
- Milkweed butterflies (Lepidópteros da fam. Danaidae) — Lepidoptera.
- Millers (o mesmo que Moths ou mariposas).
- Mining bees (Himenópteros da fam. Andrenidae (Halictidae) — Hymenoptera.
- Mining scale (*Howardia biclavis* (Comstock) — Hom., Diaspididae.
- Mint-flea beetle (*Longitarsus menthaphagus* Gentner) — Col., Chrysomelidae.
- Mocha-stone moths (Lepidópteros do gên. *Melalopha*) — Lep., Geometridae.
- Mole crickets (Ortópteros da fam. Gryllotalpidae) — Orthoptera.
- Monarch (*Danaus archippus*) — Lep., Danaidae.
- Monarch butterfly (o mesmo que Monarch).

- Monterey pine engraver (*Ips radiatus* Hopk) — Col., Ipsidae?
- Mormon (*Atrytone hobomok*) — Lep., Hesperidae.
- Mormon cricket (*Anabrus simplex* Haldeman) — Orth., Tetti-
goniidae.
- Mosquito-bees (Himenópteros do gên. *Trigona*) — Hym., Meli-
ponidae.
- Mosquitoes (Dípteros da fam. Culicidae) — Diptera.
- Moth borer (*Citripestis sagitiferella* Moore) — Lep.,?
- Moth flies (Dípteros da fam. Psychodidae) — Diptera.
- Moths (Lepidópteros das subordens Frenatae e Jugatae) —
Lepidoptera.
- Mottled poplar borer (*Cryptorhynchus lapathi* (L.) — Col.,
Curculionidae.
- Mottled sweetpotato beetle (*Chiridia gutatta* (Oliv.) — Col.,
Chrysomelidae.
- Mottled willow borer (o mesmo que Mottled poplar borer).
- Mound-building ant (*Formica excetoides*) — Hym., Formicidae.
- Mourning-cloak (*Euvanessa antiopa*) — Lep., Nymphalidae.
- Mountain pine beetle (*Dendroctonus monticolae*) — Col., Ipi-
dae?
- Mountain silver-spot (*Argynnis atlantis*) — Lep., Nymphalidae.
- Mud-daubers (Himenópteros da fam. Sphecidae) — Hymenop-
tera.
- Mulberry white fly (*Tetraleurodes mori* (Quaint.) — Hom.,
Aleyrodidae.
- Mulberry-wing (*Poanes massasoit*) — Lep., Hesperidae.
- Mule killers (Insetos da ordem Mantodea).
- Murky ground beetle (*Harpalus caliginosus*) — Col. Carabidae.
- Museum beetles (o mesmo que Carpet beetles).
- Mushroom flies (Dípteros do gên. *Sciara*) — Dip., Mycetophi-
lidae.
- Mussel scale (*Lepidosaphes ulmi* L.) — Hom., Diaspididae.
- x x x
- Narcissus bulb fly (*Merodon equestris* (Fabric.) — Dip., Syr-
phidae.
- Nasturtium leaf miner (*Agromyza pusilla*) — Dip., Agromyzi-
dae.
- Natal fruit fly (*Pterandrus rosae* (Ksh.) — Dip., ?

- Native lime tree borer (*Citriphaga mixta* Lea) — Col.,?
Navel orange worm (*Myelois venipars* Dyer) — Lep.,?
Negro bug (*Allocoris pulicaria* (Germar) — Hem., Cydnidae.
Negro bugs (Hemípteros da fam. Cydnidae) — Hemiptera.
Net-winged flies (Dípteros da fam. Blepharoceridae) — Dip-
tera.
Net-winged midges (o mesmo que Net-winged flies).
Navada buck moth (?) — Lep., Saturniidae.
New mexico range caterpillar (*Hemileuca oliviae* Cockerell) —
Lep., Saturniidae.
New York weevil (*Ithycerus noveboracensis* (Forster) — Col.,?
Nine-spotted ladybeetle (*Coccinella novemnotata* Hbts) — Col.,
Coccinellidae.
Northern cattle grub (o mesmo que Northern cattle maggot).
Northern cattle maggot (*Hypoderma bovis* De Geer) — Dip.,
Oestridae.
Northern cloudy-wing (*Thorybes pylades*) — Lep., Hesperii-
dae.
Northern corn rootworm (*Diabrotica longicornis* (Say) — Col.,
Chrysomelidae.
Northern hornworm (*Protoparce quinquemaculata* (Haworth)
—Lep., SpHINGIDAE.
Northern ox-warble fly (o mesmo que Bomb fly).
No-see-ums (Dipteros do gên. Culicoides) — Dip., Chironomi-
dae.
Nose botfly (*Gasterophilus nasalis* (L.) — Dip., Oestridae.
Nose fly (*Oestrus ovis* L.) — Dip., Oestridae.
Notched-wing geometer (*Eunomas magnarius*) — Lep., Geo-
metridae.
Nun moth (*Liparis monacha*) — Lep., Lymantriidae.
Nymphs (Lepidópteros da fam. Nymphalidae) — Lepidoptera.
x x x
Oak-bullet gall (*Discholcaspis globulus*) — Hym., Cynipidae.
Oak-button gall (*Nemoterus umbilicatus*) — ?
Oak-coccid blastobasid (*Zenodochium coccivorella*) — Lep.,
Blastobasidae.
Oak hedghog gall (*Acraspis erinacei*) — ?
Oak pruner (*Hypermallus villosus*) — Col., Chrysomelidae.

- Oak twig borer (o mesmo que Maple twig borer).
Oak ugly-nest tortricid (*Cacoecia fervidana*) — Lep., Tortricidae.
Oat aphid (o mesmo que Apple-grain aphid).
Oblique-banded leaf roller (*Cacoecia rosaceana* (Harris) — Lep., Tortricidae.
Obsolete-banded strawberry leaf roller (*Archips obsoletana*) — Lep., Tortricidae.
Odorous house ant (*Tapinoma sessile* (Say) — Hym., Formicidae.
Okra caterpillar (o mesmo que Abutilon moth).
Oleander scale (o mesmo que Ivy scale).
Olive fly (*Dacus oleae*) — Dip., Trypetidae.
Olive hair-streak (*Mitoura damon*) — Lep., Lycaenidae.
Olympia orange-tip (*Synchlœ olympia*) — Lep., Pieridae.
Onion maggot (*Hylemyia antiqua* Meigen) — Dip., Anthomyiidae.
Onion thrips (*Thrips tabaci* Lind.) — Thysanopt., Thripidae.
Orange bagworm (*Platoeceticus gloverii* Packard) — Lep., Psychidae.
Orange dog (*Papilio cresphontes* Cramer) — Lep., Papilionidae.
Orange sawyer (*Anophium inerme* (Newm.) — Hym., Tenthredinidae.
Orange spiny white (*Aleurocanthus spiniferus* (Quaint.) — Hom., Aleyrodidae.
Orange sulphur (*Eurymus eurytheme*) — Lep., Pieridae.
Orange-tips (*Lepidópteros* dos gêns. *Euchlœ* e *Synchlœ*) — Lep., Pieridae.
Orange tortrix (*Argyrotaenia* (*Tortrix*) *citrana* (Fern.) — Lep., Tortricidae.
Oriental beetle (o mesmo que Asiatic beetle).
Oriental cockroach (*Blatta orientalis* L.) — Blatt., Blattidae.
Oriental flea (*Xenopsylla cheopis*) — Siph., Pulicidae.
Oriental fruit moth (*Laspeyresia* (*Grapholita*) *molesta* (Busk) — Lep., Tortricidae.
Oriental peach moth (o mesmo que Oriental cockroach).
Oriental yellow scale (*Aonidiella orientalis* Newst.) — Hom., Diaspididae.

- Otho skipper (*Thymelicus otho*) — Lep., HesperIIDae.
- Owlet moths (*Lepidópteros* da fam. Noctuidae) — Lepidoptera.
- Ox warble (*Hypoderma lineata* Villiers) — Dip., Oestridae.
- Ox warbles (o mesmo que Cattle maggots).
- Ox warble flies (*Hypoderma bovis* e *H. lineata*) — Dip., Oestridae.
- x x x
- Pacific flat-headed borer (*Chrysobotris mali* Horn) — Col., Buprestidae.
- Pale-striped flea beetle (*Systema blanda* Melsheimer) — Col., Chrysomelidae.
- Pale western cutworm (*Porosagrotis orthogonia* (Morrison) — Lep., Noctuidae.
- Palm scale (*Chrysomphalus dyctiospermi* (Morgan) — Hom., Diaspididae.
- Palm mealy bug (*Pseudococcus nipae* Maskel) — Hom., Pseudococcidae.
- Palmer worm (*Dichomeris igulella* Hubner) — Lep., ?
- Papaya fly (*Toxotrypana curvicauda*) — Dip., Trypetidae.
- Paper-nest wasps (*Himenópteros* da fam. Vespidae) — Hymenoptera.
- Parenthesis ladybeetle (*Hippodamia parenthesis* Say) — Col., Coccinellidae.
- Parnassians (*Lepidópteros* da fam. Parnassiidae) — Lepidoptera.
- Parsnip webworm (*Depressaria heracliiana* (De Geer) — Lep., Oecophoridae.
- Pea aphid (*Illinoia pisi* (Kaltembach) — Hom., Aphididae.
- Pea moth (*Laspeyresia nigricana* Stephens) — Lep., Tortricidae.
- Pea weevil (*Bruchus pisorum* (Lin.) — Col., Bruchidae.
- Peach bark beetle (*Phthorophloeus liminaris* (Harris) — Col., Scolytidae.
- Peach borer (*Conopia* (*Aegeria*) *exitiosa* (Say) — Lep., Aegeriidae.
- Peach scale (*Lepidosaphes persicae*) — Hom., Diaspididae.
- Peach twig borer (*Anarsia lineatella* Zeller) — Lep., Gelechiidae.

- Pear midge (*Contarinia pyrivora* Riley) — Dip., Cecidomyiidae.
Pear psylla (*Psylla pyricola* Forster) — Hom., Psyllidae.
Pear scale (*Diaspis piricola*) — Hom., Diaspididae.
Pear slug (*Eriocampoides limacina* Retzius) — Hym., Tenthredinidae.
Pear thrips (*Taeniothrips inconsequens* Uzel) — Thysanopt., Thripidae.
Pepper maggot (*Spilographa electa* Say) — Dip., ?
Pepper weevil (*Anthonomus eugenii* Cano) — Col., Curculionidae.
Perfumed yellow ant (*Lasius interjectus* Mayr) — Hym., Formicidae.
Periodical cicada (*Magicicada septendecim* (L.) — Hom., Cicadidae.
Peg-top coccids (Homópteros da fam. Apiomorphidae) — Homoptera.
Pharao's ant (*Monomorium pharaonis* (L.) — Hym., Formicidae.
Pickleworm (*Diaphania nitidalis* (Stoll) — Lep., Pyraustidae.
Pigeon tremex (*Tremex columba* (L.) — Hym., Siricidae.
Pine aphids (Homópteros do gên. Lachnus) — Hom., Aphididae.
Pineapple scale (*Diaspis bromeliae*) — Hom., Diaspididae.
Pine-bark aphid (*Chermes pinicorticis* Fitch) — Hom., Diaspididae.
Pine leaf scale (*Chionaspis pinifoliae* (Fitch) — Hom., Coccidae.
Pine gall weevil (*Podapion gallicola*) — Col., Curculionidae.
Pine pitch moth (*Parharmonia pini*) — Lep., Aegeriidae.
Pine sawflies (Himenópteros do gên. Diprion (*Lophyrus*) — Hym., Tenthredinidae.
Pine tube moth (*Argyrotaenia pinatubana*) — Lep., Tortricidae.
Pine twig moths (Lepidópteros do gên. Evetria) — Lep., Olethreutidae.

- Pink bollworm (*Pectinophora gossypiella* (Saunders) — Lep., Gelechiidae.
- Pink glowworm (*Microphotus augustus*) — Col., Elateridae.
- Pipe-organ mud dauber (*Trypoxylon albitarsis*) — Hym., Sphecidae.
- Pirate bugs (Hemípteros dos gêns. *Anthocoris* e *Triphleps*) — Hem., Anthocoridae.
- Pistol casebearer (*Coleophora malivorella* Riley) — Lep., Coleophoridae.
- Pithworm (Larvas de coleópteros da fam. Elateridae — Coleoptera.
- Plague flea (*Xenopsylla cheopis*) — Siph., Pulicidae.
- Plant-lice (o mesmo que Aphids).
- Plant-boring cricket (*Cylindrodes kocki*) — Orth., Cyndroche-tidae.
- Plant-bugs (Hemípteros da fam. Miridae) — Hemiptera.
- Plant-hoppers (Homópteros da fam. Fulgoridae) — Homoptera.
- Plum curculio (*Conotrachelus nenuphar* (Herbst) — Col., Curculionidae.
- Pod weevil (o mesmo que Cowpea curculio).
- Pomace fly (*Drosophila melanogaster*) — Dip., Drosophilidae.
- Polyphemus moth (*Telea polyphemus*) — Lep., Saturniidae.
- Poplar borer (*Saperda calcarata*) — Col., Buprestidae.
- Poplar leaf beetle (*Chrysomela scripta* Fabricius) — Col., Chrysomelidae.
- Poplar leaf tyer (*Melalopha inclusa*) — Lep., Geometridae.
- Potato aphid (*Illinoia solanifolii* (Ashmead) — Hom., Aphididae.
- Potato bug (o mesmo que Colorado potato beetle).
- Potato flea beetle (*Epitrix cucumeris* Harris) — Col., Chryso-melidae.
- Potato leafhopper (*Empoasca fabae* Harris) Hom., Cicadel-lidae.

Potato psyllid (*Paratrioza cockerelli* (Sulc.) — Hom., Psyllidae.
Potato stalk borer (*Trichobaris trinotata* (Say) — Col., Curculionidae.

Potato tuber moth (*Gnorimoschema* (*Phthorimaea*) *operculella* (Zeller) — Lep., Gelechiidae.

Potato tuberworm (o mesmo que Potato tuber moth).

Potherb butterfly (*Pieris oleracea* Harros) — Lep., Pieridae.

Powder post beetles (Coleópteros das fams. Lyctidae, Ptinidae,

Anobiidae e Bostrychidae) — Coleoptera.

Praying mantis (Insetos da ordem Mantodea).

Predaceous beetles (Coleópteros aquáticos das fams. Dytiscidae e Gyrinidae) — Coleoptera.

Predaceous bugs (Hemípteros terrestres das fams. Reduviidae, Cimicidae, Nabidae, Phymatidae, Pentatomidae (in part) e Capsidae (in part.) — Hemiptera.

Predaceous diving beetles (Coleópteros aquáticos da fam. Dytiscidae) — Coleoptera.

Predatory flower-bug (*Triphleps insidiosus*) — Hemiptera, Anthocoridae.

Pubic louse (o mesmo que Crab louse).

Pumpkin bug (*Nezara viridula* L.) — Hemiptera, Pentatomidae.

Punkies (Dípteros da fam. Ceratopogonidae) — Diptera.

Purple-backed cabbageworm (*Evergestis straminealis* Hubner) — Lep., Pyralidae.

Purple scale (*Lepidosaphes beckii* (Newman) — Hom., Diaspididae.

Pyralid moths (Lepidópteros da fam. Pyralidae) — Lepidoptera.